

[1] **EC-TYPE EXAMINATION CERTIFICATE**



[2] **Equipment or Protective System intended for use
in Potentially Explosive Atmospheres
Directive 94/9/EC**

[3] EC-Type Examination Certificate Number: **DEMKO 02 ATEX 132033X**

[4] Equipment: **Two-wire Inhead Transmitter, IPAQ-HX**

[5] Manufacturer: **Inor Process AB**

[6] Address: **PO Box 9125, SE-200 39 Malmö, Sweden**

[7] This equipment or protective system and any acceptable variation there to is specified in the schedule to this certificate and the documents therein referred to.

[8] UL International Demko A/S, notified body number 0539 in accordance with Article 9 of the Council Directive 94/9/EC of 23 March 1994, certifies that this equipment or protective system has been found to comply with the Essential Health and Safety Requirements relating to design and construction of equipment and protective systems intended for use in potentially explosive atmospheres given in Annex II to the Directive.

The examination and test results are recorded in confidential report no. 132033-01

[9] Compliance with the Essential Health and Safety Requirements has been assured by compliance with:
EN 50014: 1997 E incl. A1+A2 EN 50020: 1994 E EN50284: 1999E

[10] If the sign "X" is placed after the certificate number, it indicates that the equipment or protective system is subject to special conditions for safe use specified in the schedule to this certificate.

[11] This EC-Type examination certificate relates only to the design, examination and tests of the specified equipment or protective system in accordance to the Directive 94/9/EC. Further requirements of the Directive apply to the manufacturing process and supply of this equipment or protective system. These are not covered by the certificate.


[12] The marking of the equipment or protective system shall include the following:

 **II 1G EEx ia IIC T4-T6**

On behalf of UL International Demko A/S

Herlev, 2002-05-15

Revised 2009-06-17


Jan Erik Storgaard
Certification Manager

[13]

[14]

Schedule
EC-TYPE EXAMINATION CERTIFICATE No.
DEMKO 02 ATEX 132033X
Report: 132033-05/08CA61242

[15]

Description of Equipment or protective system

The IPAQ-HX is a two-wire transmitter intended for temperature measurements in process industry. The transmitter is made for mounting in DIN standard head. The transmitter is calibrated and configured with a PC, which can be connected to the transmitter via an outlet. The transmitter is intended for mounting in hazardous area. The transmitter is powered with an intrinsic safe power supply unit, which is mounted outside the hazardous area.

Intrinsically safe specifications:

Input (Sensor)	Output (current loop)
Uo: 30 V	Ui: 30 V
Io: 25 mA	Ii: 100 mA
Po: 188 mW	Pi: 0,9 W
Lo: 50 mH	Li: 0 mH
Co: 66 nF	Cl: 0 µF

The relation between ambient temperature and the assigned temperature class is as follows:

Ambient temperature range	Temperature class
-40 °C to +85 °C	T4
-40 °C to +65 °C	T5
-40 °C to +50 °C	T6

Installation instructions

For ambient temperatures below -10 °C and above +60 °C use field wiring suitable for both minimum and maximum ambient temperature.

[16]

Report No.

Project Report No.: 132033-01
Project Report No.: 132033-03
Project Report No.: 132033-04
Project Report No.: 132033-05/08CA61242 (Hazardous Location Testing)

Documents:

Description:	Drawing No.:	Rev. Level:	Date:
List of scheduled and related drawings	S-9000	D	2009-06-04

[17]

Special conditions for safe use:

- The transmitter must be electrically connected via a certified isolating interface/zener barrier placed outside the hazardous area.
- The transmitter is to be mounted in an enclosure providing IP20 or better.
- The transmitter is calibrated and configured with a PC, which can be connected to the transmitter via an outlet. The transmitter must not be calibrated / configured after mounting unless the area is known to be non-hazardous.

[13]

[14]

Schedule
EC-TYPE EXAMINATION CERTIFICATE No.
DEMKO 02 ATEX 132033X
Report: 132033-05/08CA61242


[18]

Essential Health and Safety Requirements

Concerning ESR this Schedule verifies compliance with the ATEX directive only. The manufacturer's Declaration of Conformity declares compliance with other relevant Directives.

Additional information


The equipment has been evaluated in accordance with EN 60079-0:2006, EN 60079-11:2007 and EN 60079-26:2007 and shall be marked

 **II 1 G Ex ia IIC T4-T6**

The manufacturer shall inform the notified body concerning all modifications to the technical documentation as described in ANNEX III to Directive 94/9/EC of the European Parliament and the Council of 23 March 1994.

Certification Manager

Jan-Erik Storgaard



Date of issue 2009-06-08

Notified Body

UL International Demko A/S, Lyskaer 8, P.O. Box 514, DK-2730
Herlev, Denmark, Tel. +45 44 85 65 65, info.dk@dk.ul.com
www.ul-europe.com